











Components










Components

| | Part No. | Description | Price (ZAR) |
|---|---------------------------|---|-------------|
|  | MONOBLOCK VALVES | | |
| | FM35/1 | 3/8" Single bank double acting valve | |
| | FM35/2 | 3/8" Two bank double acting valve | |
| | FM35/3 | 3/8" Three bank double acting valve | |
| | FM35/4 | 3/8" Four bank double acting valve | |
| | FM35/5 | 3/8" Five bank double acting valve | |
| | FM35/6 | 3/8" Six bank double acting valve | |
| | FM55/1 | 1/2" Single bank double acting valve | |
| | FM55/2 | 1/2" Two bank double acting valve | |
| | FM55/3 | 1/2" Three bank double acting valve | |
| | FM55/4 | 1/2" Four bank double acting valve | |
| | FM55/5 | 1/2" Five bank double acting valve | |
| | FM55/6 | 1/2" Six bank double acting valve | |
| | FM95/1 | 3/4" Monoblock valve | |
| | FM95/2 | 3/4" Two bank monoblock valve | |
| | FM95/3 | 3/4" Three bank monoblock valve | |
| | FM150/1 | 3/4" Single bank double acting valve | |
| DETENT KITS / CARRY OVER | | | |
| | DET-38 | Detent kits FM 35 | |
| | DET-12 | Detent kits FM 55 | |
| | DET-34 | Detent kits FM 95 | |
| | DET-150-34 | Detent kits FM 150 | |
| | OC/O-38 | Carry over FM 35 | |
| | OC/O-12 | Carry over FM 55 | |
| | OC/O-34 | Carry over FM 95 | |
| | OC/O-150-34 | Carry over FM 150 | |
|  | PILOT CHECK VALVES | | |
| | VDB-14 | 1/4" Pilot operated double acting check | |
| | VDB-38 | 3/8" Pilot operated double acting check | |
| | VDB-12 | 1/2" Pilot operated double acting check | |
| | VDS-38 | 3/8" Single Pilot check valve | |
| | VDS-12 | 1/2" Single Pilot check valve | |
| | VDS-14 | 1/4" Shuttle valve | |
|  | OVERCENTRE VALVES | | |
| | OVC/SE/L38 | 3/8" Single overcentre valve | |
| | OVC/SE/L12 | 1/2" Single overcentre valve | |
| | OWC/DE/L38 | 3/8" Double overcentre valve | |
| | OWC/DE/L12 | 1/2" Double overcentre valve | |






| | Part No. | Description | Price (ZAR) |
|---|---|-----------------------------------|-------------|
|  | RELIEF VALVES | | |
| | CP/20-38 | 3/8" In line relief valve | |
| | CP/80-12 | 1/2" In line relief valve | |
| | CP/150-100 | 1" In line relief valve | |
| | CP/01-38 | 3/8" Cross over relief valve | |
| | CP/01-12 | 1/2" Cross over relief valve | |
|  | DIVERTERS | | |
| | D3V-38 | 3/8" Three way diverter | |
| | D3V-12 | 1/2" Three way diverter | |
| | D3V-34 | 3/4" Three way diverter | |
| | IN LINE CHECK VALVES | | |
| | VNR-14 | 1/4" In line check valve | |
| | VNR-38 | 3/8" In line check valve | |
| | VNR-12 | 3/8" In line check valve | |
| | VNR-34 | 3/4" In line check valve | |
| |  | CYLINDER BURST VALVES | |
| VP-38 | | 3/8" Burst valve | |
| VP-12 | | 1/2" Burst valve | |
| VP-M-38 | | 3/8" Burst valve | |
| VP-M-12 | | 1/2" Burst valve | |
|  | HYDRAULIC MOTORS | | |
| | OPI00C | 100cc Gerotor motor | |
| | OPI60C | 160cc Gerotor motor | |
| | OP200C | 200cc Gerotor motor | |
| | OP315C | 315cc Gerotor motor | |
|  | HAND PUMPS | | |
| | PAM-25-S | 25cc Hand pump tank mounted | |
| | PAM-40-S | 45cc Hand pump inline mounted | |
| | PAM-TANK-5L | 5 Litre tank | |
| | PAM-TS-45 | 45cc Hand pump tank mounted | |
| | PL. | Hand pump level | |
|  | CETOP VALVES | | |
| | GO2-C2BS-D12 | NG 6 Single solenoid valve DC | |
| | GO2-C2 | NG 6 Double solenoid valve AC/DC | |
| | GO2-C4 | NG 6 Double solenoid valve AC/DC | |
| | GO2-C6 | NG 6 Double solenoid valve AC/DC | |
| | GO3-C2 | NG 10 Double solenoid valve AC/DC | |
| | GO3-C4 | NG 10 Double solenoid valve AC/DC | |
| | GO3-C6 | NG 6 Double solenoid valve AC/DC | |

Components

| | Part No. | Description | Price (ZAR) |
|---|----------------|------------------------------------|-------------|
| | | CETOP COILS | |
| | COIL-2-AC | NG 6 AC coil | |
| | COIL-2-DC | NG 6 DC coil | |
| | COIL-3-AC | NG 10 AC coil | |
| | COIL-3-DC | NG 10 DC coil | |
| | | NG 6 MODULAR VALVES | |
|  | MPC-02 A | NG 6 Single pilot check | |
| | MPC-02 B | NG 6 Single pilot check | |
| | MPC-02 W | NG 6 Double pilot check | |
| | MRF-02 P | NG 6 Relief on P | |
| | MT-02 P | NG 6 Flow control on P | |
| | MT-02 W | NG 6 Flow control on A & B | |
| | | NG 10 MODULAR VALVES | |
|  | MPC-03 A | NG 10 Single pilot check | |
| | MPC-03 B | NG 10 Single pilot check | |
| | MPC-03 W | NG 10 Double pilot check | |
| | MRF-03 P | NG 10 Relief on P | |
| | MT-03 P | NG 10 Flow control on P | |
| | MT-03 W | NG 10 Flow control on A & B | |
| | | BASE PLATES FOR NG 6 | |
|  | BP06/B-38 | NG 6 3/8 Rear entry sub plate | |
| | BP06/BS-38 | NG 6 3/8 PT rear AB side sub plate | |
| | BP06/BS/R-38 | NG 6 3/8 Base & Relief 50-210 | |
| | | NG 6 MANIFOLD BLOCKS | |
|  | BP06/2/BR-R-38 | NG 6 Two station base & relief | |
| | BP06/3/BS-R-38 | NG 6 Three station base & relief | |
| | BP06/4/BS-R-38 | NG 6 Four station base & relief | |
| | | BASE PLATES FOR NG 10 | |
|  | BP10/B-12 | NG 10 1/2 Rear entry sub plate | |
| | BP10/BS-12 | NG 10 1/2 PT rear AB side | |
| | BP10/BS/R-12 | NG 10 Base & relief 80-300 bar | |
| | | NG 10 MANIFOLD BLOCKS | |
|  | BP10/2/BS-R-12 | NG 10 Two station sub plate | |
| | BP10/3/BS-R-12 | NG 10 Three station sub plate | |
| | | ALUMINIUM GEAR PUMPS | |
|  | PZIA/1.1 | 1.1cc Group I Pump 3/8 - 3/8 | |
| | PZIA/1.6 | 1.6cc Group I Pump 3/8 - 3/8 | |
| | PZIA/2.1 | 2.1cc Group I Pump 3/8 - 3/8 | |
| | PZIA/2.6 | 2.6cc Group I Pump 3/8 - 3/8 | |
| | PZIA/3.2 | 3.2cc Group I Pump 3/8 - 3/8 | |
| | PZIA/3.7 | 3.7cc Group I Pump 3/8 - 3/8 | |
| | PZIA/4.2 | 4.2cc Group I Pump 3/8 - 3/8 | |
| | PZIA/4.8 | 4.8cc Group I Pump 3/8 - 3/8 | |
| | PZIA/5.5 | 5.5cc Group I Pump 3/8 - 3/8 | |
| | PZIA/6.2 | 6.2cc Group I Pump 3/8 - 3/8 | |

| | Part No. | Description | Price (ZAR) | |
|---|---|--|-------------|--|
|  | PZ1A/7.8 | 7.8cc Group 1 Pump $\frac{3}{8}$ - $\frac{3}{8}$ | | |
| | PZ1A/8.8 | 8.8cc Group 1 Pump $\frac{3}{8}$ - $\frac{3}{8}$ | | |
| | PZ2A/4.4 | 4.4cc Group 2 Pump $\frac{1}{2}$ - $\frac{1}{2}$ | | |
| | PZ2A/6.3 | 6.3cc Group 2 Pump $\frac{1}{2}$ - $\frac{1}{2}$ | | |
| | PZ2A/8.2 | 8.2cc Group 2 Pump $\frac{1}{2}$ - $\frac{1}{2}$ | | |
| | PZ2A/11.3 | 11.3cc Group 2 Pump $\frac{1}{2}$ - $\frac{3}{4}$ | | |
| | PZ2A/14.4 | 14.4cc Group 2 Pump $\frac{1}{2}$ - $\frac{3}{4}$ | | |
| | PZ2A/17.0 | 17.0cc Group 2 Pump $\frac{1}{2}$ - $\frac{3}{4}$ | | |
| | PZ2A/20.0 | 20.0cc Group 2 Pump $\frac{1}{2}$ - $\frac{3}{4}$ | | |
| | PZ2A/25.7 | 25.7cc Group 2 Pump 1 - $\frac{3}{4}$ | | |
| | PZ2A/31.4 | 31.4cc Group 2 Pump 1 - $\frac{3}{4}$ | | |
| TANK TOP FILTERS | | | | |
|  | MTF-12 | $\frac{1}{2}$ " 10 Micron return line tank top filter | | |
| | MTF-34 | $\frac{3}{4}$ " 10 Micron return line tank top filter | | |
| | MTF-100 | 1" 10 Micron return line tank top filter | | |
| | MTF-114 | $1\frac{1}{4}$ " 10 Micron return line tank top filter | | |
| | TANK TOP ELEMENTS | | | |
| | MTFE-12 | $\frac{1}{2}$ " 10 Micron tank top element | | |
| | MTFE-34 | $\frac{3}{4}$ " 10 Micron tank top element | | |
| | MTFE-100 | 1" 10 Micron tank top element | | |
| MTFE-114 | $1\frac{1}{4}$ " 10 Micron tank top element | | | |
| AIR BREATHERS | | | | |
|  | BR- $\frac{1}{4}$ | $\frac{1}{4}$ " Air breather | | |
| | BR- $\frac{1}{2}$ | $\frac{1}{2}$ " Air breather | | |
| | BR- $\frac{3}{4}$ | $\frac{3}{4}$ " Air breather | | |
| | BR-1" | 1" Air breather | | |
| FILLER BREATHERS | | | | |
| | FBA-5 | Filler breather | | |
| | FBA-25 | Filler breather | | |
| SPIN ON FILTERS | | | | |
|  | SO-05-10 | $\frac{3}{4}$ " 10 Micron return line filter | | |
| | SO-05-25 | $\frac{3}{4}$ " 25 Micron return line filter | | |
| | SO-10-10 | $1\frac{1}{4}$ " 10 Micron return line filter | | |
| | SO-10-25 | $1\frac{1}{4}$ " 25 Micron return line filter | | |
| SPIN ON ELEMENTS | | | | |
| | SOE-05-10 | $\frac{3}{4}$ " 10 Micron return line filter | | |
| | SOE-05-25 | $\frac{3}{4}$ " 25 Micron return line filter | | |
| | SOE-10-10 | $1\frac{1}{4}$ " 10 Micron return line filter | | |
| | SOE-10-25 | $1\frac{1}{4}$ " 25 Micron return line filter | | |

Components

| | Part No. | Description | Price (ZAR) |
|---|------------------------------------|--|-------------|
|  | SUCTION STRAINERS | | |
| | FSP-003 | 1/2" Suction strainer | |
| | FSP-005 | 3/4" Suction strainer | |
| | FSP-010 | 1" Suction strainer | |
| | FSP-015 | 1 1/4" Suction strainer | |
| | FSP-030 | 1 1/4" Suction strainer | |
| | FSP-050 | 2" Suction strainer | |
|  | FLOW CONTROLS | | |
| | STU-14 | 1/4" Unidirectional flow control (Barrel type) | |
| | STU-38 | 3/8" Unidirectional flow control (Barrel type) | |
| | STU-12 | 1/2" Unidirectional flow control (Barrel type) | |
| | STU-34 | 3/4" Unidirectional flow control (Barrel type) | |
| | STU-0400 | 1/4" Unidirectional flow control | |
| | STU-0600 | 3/8" Unidirectional flow control | |
| | STU-0800 | 1/2" Unidirectional flow control | |
| | STB-0400 | 1/4" Unidirectional flow control | |
| | STB-0600 | 3/8" Unidirectional flow control | |
| | VSQ-40 | 1/2" Sequence valve | |
| | RF 40P | 1/2" Priority flow divider | |
| | RF 70P | 3/4" Priority flow divider | |
|  | LEVEL GAUGES | | |
| | FLP-3 | 3" Level gauge | |
| | FLPT-3 | 3" Temperature level gauge | |
| | FLP-5 | 5" Level gauge | |
| | FLPT-5 | 5" Temperature level gauge | |
| FLPT-10 | 10" Temperature level gauge | | |
|  | BELL HOUSING | | |
| | LS 201 | .55-1.5 KW-80/90 GR 1 bell housing | |
| | LS 203 | .55-1.5 KW-80/90 GR 2 bell housing | |
| | LS 250 | 2.2-4 KW-100/112 GR 1 bell housing | |
| | LS 253 | 2.2-4 KW-100/112 GR 2 bell housing | |
| | LS 300 | 5.5-9 KW-132/160 GR 2 bell housing | |
| LS 350 | 11-22 KW-160/180 GR 2 bell housing | | |
|  | DRIVE COUPLINGS | | |
| | ND 70 | .55-.75 KW-19 GR 1 drive coupling | |
| | ND 70A | 1.1-1.5 KW-24 GR 1 drive coupling | |
| | ND 11 | 2.2-4 KW-28 GR 1 drive coupling | |
| | ND 10 | 1.1-1.5 KW-25 GR 2 drive coupling | |
| | ND 14 | 2.2-4 KW-28 GR 2 drive coupling | |
| | ND 16 | 5.5-7.5 KW-38 GR 2 drive coupling | |
| | ND 43A | 11-15 KW-42 GR 2 drive coupling | |